


Inflatable Interactive Games and Slides



A Complete Guide for Your New Inflatable Game

Inflatable Interactive Games & Slides Manual

*Do not operate your inflatable prior to thoroughly reading and understanding this owner's manual.

*If you have any questions, contact Happy Jump, Inc.

Provided By:

Happy Jump, Inc 19843 Nordhoff Street Northridge, CA 91324 Phone 818.886.3991 • Fax 818.886.3990 www.happyjump.com Info@happyjump.com

Table of Contents

Introduction	1-2
Safety Operating Instructions	3-4
Preparation & Safety Checklist	5
Site Layout	5
Tools and Equipment	5
Setup Procedures	6-7
Deflation & Packing Instructions	8
Complications	9
Additional Signage & Safety Guidelines	9
Equipment Maintenance	10
Warranty	11
Appendix	12

Introduction

ongratulations on your purchase of a brand new Happy Jump, Inc Inflatable Game. We are pleased to inform you that this unit has passed our meticulous inspections. You can be rest assured that this inflatable unit is the best in the industry.

We take safety very seriously and as we pass this inflatable unit to you, we pass on the responsibility of providing the utmost safety. It is very important that you and any one who operates this unit reads and understands this manual entirely. This manual will explain in detail how to check site location, set up, how to repack, and maintain this unit. It will also explain some good general information that will be helpful in numerous situations.

If you have read this manual and have suggestions and/or questions, please feel free to contact us with your comments.

Thank you once again and we hope you enjoy years of uninterrupted service with your new inflatable.

Upon Arrival/Inspection

Upon arrival of your equipment, you should check to make sure that you have received the following items. If any item is missing, please inform us immediately.

- *Inflatable Game wrapped on a pallet
- *Spikes
- *Inflation Fan
- *Safety Instruction Printed on the Unit.
- *Accessories Box (if applicable)
- *Business Card Holder Sewn into the unit.
- *Repair Kit
- *Custom printed banner with your company name and telephone number
- *Steps (if applicable)

Introduction

WARNING

- of heavy weight, be sure to lift with your legs and <u>not</u> your back. If in doubt about ability to move something, get help.
- DO NOT OPERATE THIS UNIT WHILE RAINING OR IN WET CONDITIONS
- DO NOT OPERATE WHEN WIND EXCEEDS 15 MPH AND/OR TEMPERATURES LESS THAN 40°F.



Interactive Game

- -For particular operation information about your specific inflatable, refer to the appendix.
- -Each specific unit has different requirements for tie downs, operators, etc.

The operator is responsible for:

- Monitoring inflation of the unit
- Screening and admitting patrons
- Making patrons aware of the rules
- Assisting patrons with protective gear
- Monitoring patrons while using the ride
- Cleaning and maintaining protective gear
- · Matching patrons as to size, age and ability
- Maintaining order and compliance with rules

Safety Operating Instructions For Inflatable Ride Operator

- Children's safety depends on the presence of an operator. Always have the inflatable unit supervised by an operator who has reviewed and understands the safety rules.
- Do not setup near swimming pools.
- Keep age and size of riders comparable. Extra caution is needed for children ages three
 and under. Never allow older kids to bounce with children three and under.
- No one should be permitted to ride the unit if weight exceeds 200 lbs.
- Individuals with head, neck, back or other muscular skeletal injuries or disabilities,
 pregnant women, small infants and others who may be susceptible to injury from falls,
 bumps or bouncing are not permitted on or in the unit at any time.
- Number of riders should be limited to the number specified on the label located on the side or back of the inflatable.
- Absolutely no pets are allowed on or by the unit at any time.
- Do not allow climbing on the unit or netting of equipment by anyone inside or outside
 of the inflatable unit.
- Do not allow anyone to jump or dive on the inflatable near the door of the unit.
- No flips wrestling or extreme horseplay is allowed while on the ride.
- Do not allow riders to bounce closer than four feet from each other.
- Keep riders from putting netting in their mouths.
- No Food, drinks, gum, candy, confetti or trash in or around the inflatable.
- Do not allow any silly string in or around the inflatable, it will damage the unit.
- No one is allowed on the ride while it is being inflated or deflated.
- Unit must be anchored prior to and during operation.
- Persons not following the safety rules should be asked to leave.
- Do not spray water on the ride for any reason.
- If wind becomes excessive (15 mph or more), unload occupants and deflate the ride.
- Do not allow anyone to put fingers/hands or any objects in to the fan intake, motor, motor housing or outlet when running.
- Check stakes regularly to ensure they are tight.
- Check the blower/inflation tube regularly to ensure there is not any excessive leakage.
- Check GFCI at least once per event after the initial setup.
- Inspect the inflatable before each use.
- Operator should be present at the climbing area to help climbers or remove those who
 are not capable of climbing.
- Do not run to the inflatable to get a head start.
- Absolutely No Running, No Horse Play, No Diving.
- Absolutely no diving on any inflatables.
- Remove all loose and dangling jewelry and/or clothing, bracelets, watches, eye glasses, earrings and any sharp objects before entering the inflatable.
- Remove shoes before entering the inflatable.


- · Do not slide head first.
- Do not jump or dive in the slide.
- Only one person per lane on obstacle courses and slides.
- Rides must crawl in and through end of obstacle course.
- Do not use the Side walls to slow yourself down on Slides.
- Slide down seated, legs together going first on any sliding area.
- The landing area of a slide must be clear before the next person begins to slide down.
- Do Not start sliding until the landing area is clear of all other riders.
- Exit the slide immediately after stopping in the landing area.
- Do not climb back up the slide from the sliding area.
- Use only the designated steps to climb up the top platform.
- Parents/ Guardians may not hold or accompany the rider while sliding.
- Do not jump in or out of Obstacle Course or any other inflatables.
- If the unit includes a pool, the pool must be filled with water before the riders can begin sliding.
- Some games including: Home Run Challenge (H.R.C), and Giant Basketball Hoop (G.B.H) require additional clearance around the game. Make sure no one stands near to batting person on H.R.C and no one goes under the Basketball Hoop on G.B.H while participant is throwing the ball, this may cause serious injuries.
- Contact Happy Jump, Inc if the safety rules label is not readable or missing. It is your
 responsibility to check that the label is clean and visible to the customer at all times.
- For additional information you can contact Happy Jump, Inc, Monday through Friday during normal business hours.

Preparation & Safety Checklist

- Do not inflate in high winds or rain. Maximum high winds are 15 mph. While ride is operating and winds become excessive, unload all occupants, and deflate the ride.
- Do not inflate at temperatures less than 40 degrees F.
- Use an adequate three-wire extension cord, minimum 12 gauge. Never cut or remove the round grounding pin from the cord.
- Always connect the GFCI (Ground Fault Circuit Interrupter) extension cord adapter to any cord before plugging into a power source. This reduces possibility of arcing the GFCI contacts. A GFCI extension cord adapter can be purchased at most Do-It your self stores, i.e. Home Depot, Builders Square, Lowe's, etc...

Site Layout

SITE LAYOUT



Make sure area is clear of any debris and that you have 5 feet clearance around and above the perimeter of the inflatable

- 1. Pick a location free from overhead electrical power or telephone lines. Location should be free from trees that could damage or stain the inflatable. An unobstructed area should be maintained for 5 feet around and above the perimeter of the inflatable.
- 2. Contact all utility companies and have all underground utility lines properly located so no accidental contact occurs when driving stakes.
- 3. Ensure there are no underground irrigation pipes or other utilities that the property owner has installed.
- 4. Make sure the location selected is leveled and has no slope.
- 5. Keep the front of the inflatable clear and accessible at all times.

Tools & Equipment


- (1) Sledge Hammer
- (1) Hand Truck
- (1) Ground liner (Tarp)
- (1) 50' or 100' 12 gauge extension cord

Setup Procedures

SETUP INSTRUCTIONS














- A. Place and line up the unit. Unroll the blower tubes and the unit.
- B. Unfold the sides and straighten them out.
- C. Stake the inflatable
- D. Close the opening of one of the bower tube.
- E. Plug the fan power cord and slide the blower opening into the tube.

- 1. Place your ground cover sheet over the site where you want the inflatable to stand.
- a. If your game consists of 2 units which are setup in a line, place and adjust the two units so that they open up against each other. Unknot the straps and remove them. Place them aside so you do not lose them. Make sure that the attachment velcros line up on the 2 units.
 b. If your game consists of 3 or more pieces which line up side by side, place and adjust the units next to each other such as the visual in the appendix. Unknot the straps and remove them. Place them aside so you

do not lose them. Make sure that the attachment velcros line up on all

units.

3. Locate the blower tubes on each unit. At least one of the tubes per unit must be attached to the motor blower; any extra tubes should be closed off. Pleat and fold the vinyl fabric as tight as you can. Then use the attached strap to secure it shut. This does not have to be airtight. Escaping air is what makes your unit bouncy.

Some larger units might require 2 or more motor blowers. Refer to

the appendix to find out the required number of blowers. Check around the unit for any deflation zippers and make sure they are closed and secured by their flap.

4. Plug the fan power cord into the extension. Make sure the extension cord is away from foot traffic. Slide the blower opening into the tube. Then pleat and fold the extra fabric around the blower to secure and wrap the strap around the blower and tighten. Make sure to gather all the fabric in the strap, especially around the bottom. Tighten the strap using the self-locking clip which is attached to the strap.

5. Plug the extension cord into the power source. Locate the on/off switch on the fan and turn it on. Make sure the extension cord is away from foot traffic. Observe the inflation of the inflatable as it rises.

6. If your game is a multi piece unit, after it has been inflated, move the pieces so that the velcro attachments line up to each other, then deflate the units. Once units are deflated, connect the velcro attachment points. If the units are placed next to each other correctly, one side should have two flaps with velcro on the inner sides of the flaps while the corresponding unit has one flap with velcro on the two outer sides. Place the two-sided velcro flap between the two flaps of the corresponding unit and secure. Turn the motor blowers on and re-inflate the units.

7. Locate all of the tie down straps on the bottom of the unit. (There should be at least one tide down strap on each corner and in some cases, one in between corners.) Extend the strap & drive the provided stakes through the ring at the end of the strap. Locate all upper tethers and use the provided straps to extend them to the ground. Stake these tethers down in an approximately 45 degree angle.

Note: Always use the provided stakes. Do not replace these stakes with different stakes. If you lose them, contact Happy Jump to purchase replacements. Sand or water bags can be used instead of stakes, check the appendix for information about the number of bags to use. Before driving stakes, make sure they are not in the vicinity of utilities or irrigation.

Setup Procedures

- 8. Before letting anyone on please do a quick inspection of the unit. When properly inflated, all inflated areas of the unit will be pressurized and firm. Make sure the extension cord is away from any foot traffic. Check the inflation tube to make sure it is properly attached to the blower fan. The inflation tube must be properly closed around the fan outlet cone to prevent large air leakage.
- 9. Do not place fingers or hands into the intake or outlet when the fan is operating. Do not allow any children or adults in the rear of the ride or near the electric blower fan at any time.
- 10. Make sure the operator understands all the rules and safety procedures.

Deflation & Packing Instructions

For the Obstacle Course (2 units) do the following instructions for both of the units.

Before Deflating

Step 1: Before breaking down any game, inspect the games for any damages and repair as necessary. Remove all accessories that may be applicable to the game. This may include items such as harnesses, backing plates, bungee cords, etc...Be sure to use a quality broom and sweep the surface of the game free of any debris. Check to make sure that no sharp objects have fallen into the seams of the game, i.e. pens, the rolling up process. Also make sure the game is dry, if not please dry the game.

Step 2: Buckle any plastic snaps to reduce the possibility of entanglement in the mesh.

NOTE: If the unit has steps attached to it, we highly recommend removing the steps and rolling them separately. This is to ensure the life spam and quality of the steps.

Deflating

Step 3: Unplug the blower fan. As the game begins to deflate, go around and unhook the straps that secure the blower tube to the blower. Unhook the straps on the other blower tube to allow air to escape.

Step 4: Pull out the stakes around the unit and pack them up. If the game is a multi unit piece, unhook the velcro attachments and proceed with the following steps for each individual piece.

Step 5: Walk from front to back of the unit to move any remaining air towards the blower tubes.

NOTE: For obstacle course, detach the velcro before starting the folding process.

Folding

Step 6: Fold in the base of the unit all the way around and walk around the unit to remove any air.

Step 7: Now make two half folds to the middle and walk around to remove any air.

Step 8: Fold in the half folds and again walk around removing any remaining air. You are now ready to roll!

Rolling


Step 9: Prior to rolling the game, make sure that there is no excessive air and the fold is firm. Start your roll from the front of the unit and roll it up like a sleeping bag. Keep pushing and flattening the roll as you go. You may also want to have someone walk on the roll in front of you.

Step 10: At the end of the roll, the blower tubes must be on the outside. Slide the straps under the unit and then run the end of the straps through the rings on the other end of the straps, pull tight. Loop the end of the strap around and tie a tight slipknot.

Standing the Game

Step11: Place the storage bag over the end of the game and work it down as far as you can. It is important that you work the bottom of the bag down to the top of the roll. Rotate the game 180 degrees and pull the bag over the top of the game/Tie the














- A. Unplug the blower fan and unhook the straps on the other blower tube.
- B. Fold in the base of the unit and walk front to back of the unit.
- C. Make two folds to the middle of the unit and walk around it.
- D. Fold the half folds and walk again..
- E. Start to roll, from the front of the unit.
- F. Slide the straps and tie with a tight slipknot.

bag closed. Use a two wheel dolly to transport the blower and accessories back to the same area. Now you are ready to pack up and leave.

Complications

- Incase of rain and/or lightening, have children exit the unit and turn off the
 motor. Fold the unit and cover it with the tarp as soon as possible to help
 keep it dry. When rain stops use towels to dry the inside of the unit, then
 resume play.
- Power failure- If the fan motor stops, riders must immediately stop jumping and calmly exit the bouncer. Hold open the exit flap of the unit and guide the riders out. Overloading an electrical circuit is the most common cause of the fan stopping; reset the fuse panel, make sure the fan motor has a dedicated circuit.

Additional Signage & Safety Guidelines

Operators must make customers aware of the following information before allowing them to participate on any inflatable games. We recommend having a sign made that can be placed in front of the game, and large enough to read from a minimum distance of 50 inches.

We want you to have the most fun possible while helping us maintain the highest level of safety for you and your operators. You should not participate in these games if you have any of the following conditions:

- Current or previous injury to the back or neck.
- Any respiratory conditions, including, but not limited to asthma or bronchitis.
- Pregnancy
- Chronic knee or other joint conditions
- Any heart or circulatory conditions

Remember, these games do require a certain amount of physical exertion, and you must judge for yourself your ability to participate.

If you do decide to participate, we suggest you do the following for your own personal safety.

- 1. DO NOT ENTER THIS GAME IF AN ATTENDANT IS NOT PRESENT!
- 2. Follow the attendant's instructions closely. They are there for your own safety
- 3. Remove all loose and dangling jewelry and/or clothing, bracelets, watches, eye glasses, earrings and any sharp objects before entering the inflatable.
- 4. Remove shoes before entering the inflatable.
- 5. No flips, wrestling, or extreme horseplay allowed while on ride.
- 6. Do not bounce closer than four feet from each other.
- 7. Do not bounce on the step or near the doorway.
- 8. No sharp objects allowed inside moonwalk.
- 9. No climbing or hanging on the outside walls or roof.
- 10. No one is allowed on the ride while it is being inflated or deflated.
- 11. No silly String or glitter is to be used. Do not tape or apply anything on to the ride.
- 12. Stay off netting at all times

If you have any questions, or are unsure of your ability to participate, ask the game attendant for assistance.

Equipment Maintenance

Keeping your unit well maintained will ensure the unit a longer life. That is why we strongly recommend cleaning your inflatable unit before and after every rental. This can be a brief spot cleaning. This will give you the opportunity to inspect the unit for wear and/or tear damage. Check the underside as you fold and roll the unit for scuffs or tears. You should also give it a quick disinfecting spray so that it is ready for the next time.

Monthly

- Schedule a time once a month to set each unit up and go over it in detail. Check the
 underside for weak spots or scuffs and apply patches as needed.
- Blow the unit up, and deflate to check the roof. Spray an all-purpose cleaner and wipe it down.
- Spray disinfecting cleaner in the blower tube so that it can help keep the inside clean. Reinflate the unit and work your way from one side of the entrance all the way around the unit. Spraying down and wiping as much of the unit as possible. You may want to bring a stepladder so that you can reach the higher sections. Climb inside the unit and do the same thing.

Cleaners

- Do not use chlorine based cleaners or bleach cleaners as it may damage the threads.
- · Do not use bathroom cleaners.
- Do not use any cleaner that warns, "Do not use on soft vinyl".
- Do not use any abrasive cleaners.
- Keep in mind that children are going to come into close contact, so be sure to use a cleaner that is non toxic and safe.

Always test a new cleaner on a scrap from your repair kit before putting it in your unit.

To repair tears up to 12", use the "single patch method," as follows:

- Cut an oval patch of proper material approximately 2" larger than the tear.
- Clean the surface around the tear with a recommended solvent.
- Apply the proper glue to both the patch and the fabric around the tear.
- Press the glued sides together and put some kind of heavy weight on it. (You can use sand bags, or bucket of water but make sure the weight is spread evenly through the whole area.)
- Keep the weight on it for about an hour then remove the weight but let it dry for another 8
 hours.
- · Begin inflation and check for leaks around the patch.

To repair a larger tear, use the "double patch method," as follows:

- Cut the appropriate size patch as described above.
- Clean the interior surface around the tear, apply the glue, let dry and press together as described above.
- After the inside patch has dried for 15 minutes, apply another patch to the outside as described on single patch method.
- · Begin inflation and check for leaks around the patched area.

Motor Blower

 An electrical motor blower is included with this game, for instructions and technical data for the blower, please refer to the motor blower box. (A complete owner's manual for your motor blower is in the container, if it is missing, contact the manufacturer for another copy.

Limited Warranty

Happy Jump, Inc: Sells a wide range of products and warranties vary by product. Please ask a representative to disclose a particular warranty for the product(s) you are purchasing, if you do not see that information here. Our warranty specifically excludes freight in either direction, and freight is the sole responsibility of the purchaser.

Happy Jump, Inc: Reserves the right to inspect all warranty claims and make a final decision based on the validity of the claim.

Happy Jump, Inc: Will make a good faith effort for prompt correction or other adjustment with respect to any product that proves to be defective within the limited warranty. Contact Happy Jump, Inc. toll free at 877-244-5867 to discuss any warranty concerns you may have.

Inflatable Units: All inflatable games manufactured by Happy Jump, Inc. are warrantied to the original purchaser, either directly or through a qualified reseller, against defects in workmanship or materials for a period of three years on bouncers and two years on interactive games from the date of purchase. Normal wear and tear is expected and is not covered by the warranty.

Peripheral Parts: Peripheral parts do not have a warranty. However, we will honor an obvious defect in workmanship or material when these parts are used under normal conditions for a period of 30 days from date of purchase. The parts in question must be returned to Happy Jump, Inc. for inspection and opinion. The decision of Happy Jump, Inc. is final.

Other Equipment: Each manufacturer offers a specific warranty on the products they make, and these warranties will be supplied upon request to the purchaser.

Return Policy: All games and products manufactured by Happy Jump, Inc. are considered custom built per order. In the event a product is returned for any reason not the fault of Happy Jump, Inc., a 25% restocking fee may apply.

WARNING

-DO NOT OPERATE THIS UNIT WHILE RAINING OR IN WET CONDITIONS
-DO NOT OPERATE WHEN WIND EXCEEDS 15 MPH



Backyard Obstacle Challenge (Model IG5101-IG5104)

-The total dimensions & weight for this unit are: *40' L x 10' W x 13' H

Total – 400 lbs (weight of unit)

Maximum Participants:* * 2 Children

(Max. weight 360 lbs. in total)

*When a patron clears the side obstacle game and enters the slide section, the next patron can enter the side game.

- Minimum Height Requirement: 36"

-This unit has a total of 10 tie downs:

* 6 tie downs on the bottom

* 4 tie downs on top

Each tie down location must be either staked to the ground with at least 18" long stake with at least ½" width or sandbag with at least four (4) - 50 Lbs (outdoor) or four (4) -50 lbs (indoor) sandbags on each anchor. Stakes need to be embedded 18 inches and 90 degrees (i.e. perpendicular)

-For Setup & Take down procedures, refer to pages 6-8

This Unit requires one (1) motor blower Flow Capacity: (min 500 cfm @ 4.5" Wg) Inflation Pressure:

-Typical inflation pressure for this type of device with sewn (rather than welded) seams is 5"-7"/ 25-35

psf

with one 1.5 Hp blower.

-Use the shortest possible length. When extension cords are used, ensure that they are UL listed for the outdoor use and proper gauge and length. Cords up to 50 ft. in length should be no smaller than 14-3 Ga. Cords up to 100 ft. in length should be no smaller than 12-3 Ga. Plug the cord into the grounded outlet or extension cord that has been grounded through a GFI or at the minimum, a grounded circuit.

ATTENTION:

-One (1) operator is needed to operate this unit when used in a public area. Please see Operators rules and guidelines on page 3-5 of this manual.

 Only the number of adults or children specified on the ride information data are permitted in the unit at one time.



Pre Operations Inspection Checklist

The following checklist is to be performed together in the presence of the Owner/
Operator and the Renter upon installation and set up of each inflatable ride and game
manufactured by Happy Jump, Inc. Failure to read, understand and follow these rules could
result in injury.

Date	Serial Number	HJI Game	
Renter Name		Trained Operator Name	
Inflatable ID		(If Applicable)	

Renter Initials	Owner/Rep. Initials	Inspected Areas	Comments/ Action Taken
		Inflatable Game(s)	
		Weather conditions are safe for operation of all games	
		Vinyl and nettings are clean and free of stains	
		Seams are secure and in good condition	2
		Tie down straps are strong with no breakage	
		Entrance/Exits clear of obstructions and will remain clear	
		Warning signs are clear and visible	
		Internal air pressure is sufficient to give a firm footing	
		Passageways are clear of obstruction	
		Ropes and footholds are strong and intact	
		Inflatable is clear of any utility lines above and below ground	
		Area clear of debris and sharp objects	
		No automotive vehicle is parked within 20ft	
		In level position	
		Ground anchors secure	W.
	7	Properly anchored and tied down using all tie downs	
		Proper size & weight of bags, if used	
		Blowers tube are not twisted	
		Blower guards & screens in good condition	
		No loose or damaged blower parts	
		No cuts or tears in inflatable or netting	
		All electrical connections in working order	
	11/	Proper electrical outlet amperage	
		Proper type and size extension cord	
	l l	Interior clean and free of debris	
		An operator present at all times	
		Correct number of operators	
		Proper operator training	
		Operator training manual on site	

Safety rules posted	
Proper height signs	
Is there adequate lighting for night time operation	
Accessories (If Applicable)	
Blower is clean, and firmly attached to the inflatable	
Electrical cords are free from wear and do not pose any trip hazards to patrons or guests	
Misters are firmly attached and working	
Water source is clean and free of debris and odor	
Existing water will drain away from the inflatable unit	
Boxing gloves are clean inside and out	
Jousting poles are clean, strong and secure	
Bungee cords are clean, strong with no breakage	
Rings and webbing on bungee cords are strong with no breakage	
Carabineers are in good working condition	

I have inspected the inflatable unit(s) and find all items satisfactory and acceptable.

Renter	Date



Operator/ Attendant Responsibility Checklist

The following checklist is to be performed together in the presence of the Owner/ Operator and the Renter upon installation and set up of each inflatable ride and game manufactured by Happy Jump, Inc. Failure to read, understand and follow these rules could

Date	SerialNumber(s)	
HJI Game(s)		
Renter Name	Trained Operator Name	

Renter Initials	Owner/Rep. Initials	Inspected Areas	Comments/ Action Taken
		Operator/Attendant Responsibilities	
		* Supervision by and adult trained attendant is required at all times	
		The Operator/Attendant should point out and make all riders aware if the rules (warning sign and owner's manual)	
		The inflatable MUST BE Securely anchored at all times	
		Entry into the inflatable device should be orderly and in a controlled manner	
		Riders should be of similar age range, height and weight. Do not put older children or adults with younger children.	
11		Persons with mental or physical impairment should not be allowed to use this ride	
		NO: rider under age of 2 years old	
		NO: Shoes, eyeglasses, jewelry, or other sharp objects	
		NO: Somersaults, diving, wresting, rough play, or flips	
		NO: Food, drinks, gum, pets, or silly stings	
		Do not jump onto or off the ride	
		Use of whistles and signaling devices is recommended	
		Keep patrons away from the blower at all times	
		DO NOT USE: and immediately deflate the inflatable if wind conditions exceed 15 mph and/ or it rains	
		For Riders with Climbs and Slides	
		Go down the slide feet first only, and no more than one rider at one time	
		NO: Climbing up the slide the wrong way	
-27		NO: Jumping onto the slide area	5
	7 7 7	NO: Climbing, jumping on or next to side walls	
Renter Initials	Owner/Rep. Initials	Emergency Procedures Locate the Emergency exit prior to operating and get familiar with using it	Comments/ Action Taken
11		In the unlikely event of a severe Weather Alert, Power Failure, or a Medical Emergency:	

Exit patrons in an orderly fashion away from the game	
Turn off the blower and unplug from the outlet	
Keep patrons and guests away from the inflatable	
Call the appropriate emergency responders if necessary	

I have been instructed in and understand the Operator/ Attendant Responsibilities and the Emergency Procedures listed above.

 Renter Name	Date
Owner/Ban Name	Data
Owner/Rep. Name	Date



Scheduled Inspection and Maintenance Log

Failur	The Following checklist is to be performed before each set up and operation of each inflatable ride and game manufactured by Happy Jump, Inc., Failure to perform and document these inspections could result in injury or death, and non-compliance of state regulatory rules and regulations.	operatio injury or	n of each death, a	Inflatable nd non-co	ride and g mpliance	game man of state re	d operation of each inflatable ride and game manufactured by Happy Jump, Inc., in injury or death, and non-compliance of state regulatory rules and regulations.	by Happy . Iles and re	ump, Inc., gulations.
Нарр	Happy Jump Game:								
Seria	Serial Number:								
Name	Name of person performing inspection :								
			MON	TUES	WED	THUR	FRI	SAT	SUN
		Date	1 1	1 1	1 1	11	11	11	11
1. Infla	1. Inflatable Exterior								
•	Vinyl and nettings are clean and free of stains								
•	Outside seams are strong and in good condition								
•	Mesh is strong, stable and intact								
•	Proper stakes are being used								
•	Proper sand bags and weight are being used								
•	Tie down straps are strong with no breakage								
•	Entrance/Exits are clear of obstructions								
•	Entrance Ramp is secure and attached								
•	Warning signs and rules are clear and visible								
2. Infla	2. Inflatable Interior								
•	Vinyl patterns clean and free of stain								
•	Inside seams are strong and in good condition								
•	Internal air pressure is sufficient to give a firm footing								
•	No debris or sharp objects are present								
•	Passageways are clear of obstructions								
•	Ropes and footholds are strong and intact								
•	Warning signs are clear and visible								



Scheduled Inspection and Maintenance Log

Failur	The Following checklist is to be performed before each set up and operation of each inflatable ride and game manufactured by Happy Jump, Inc., Failure to perform and document these inspections could result in injury or death, and non-compliance of state regulatory rules and regulations.	a operation of each inflatable ride and game manufactured by Happy Jump, Inc., In injury or death, and non-compliance of state regulatory rules and regulations.	n Inflatable and non-cor	nde and g mpliance	game man of state re	gulatory ru	oy Happy J	ump, Inc., gulations.
Нарр	Happy Jump Game:							
Seria	Serial Number:							
Nam	Name of person performing inspection :							
		MON	TUES	WED	THUR	FRI	SAT	SUN
	Date	te / /	1 1	11	1 1	11	11	11
3. Blowers	wers							
•	Proper blower is being used for this unit							
•	Intended electrical outlet is a (GFCI 110v outlet)							
•	Motor is free of dust and is working							
•	Air intake and output are clear and free of debris							
•	Blower is free of rust							
•	Inflatable air tube and blower hose are securely attached	-						
•	Electrical cords are not more than 25' from the GFCI outlet							
•	Electrical cords encased and free from wear							
•	Electrical cords are secure and do not pose a trip hazard							
•	Plugs sockets, and switches are not damaged							
4. Acc	4. Accessories (if applicable)							
•	Misters are firmly attached and free of debris and odor							
•	Water source is clean and free of debris							
•	Surrounding water run off area will drain and not pool							
•	Boxing gloves are clean inside and out							
•	Jousting poles are clean, strong, and secure							
•	If using a generator, use all manufacturer's guidelines for operation							